

To: Shore, Berry[Shore.Berry@epa.gov]
From: Enck, Judith
Sent: Sun 4/17/2016 9:35:07 PM
Subject: Fwd: Google Alert - PFOA

Sent from my iPhone

Begin forwarded message:

From: Google Alerts <googlealerts-noreply@google.com>
Date: April 17, 2016 at 4:00:25 PM EDT
To: enck.judith@epa.gov
Subject: Google Alert - PFOA

PFOA

Daily update □ April 17, 2016

NEWS

The Union Leader

Some, not all, plants safe after PFOA contamination

Nashua Telegraph

These concerns come following the detection of low levels of **PFOA** in the tap water at the Saint-Gobain plant on Daniel Webster Highway.

   [Flag as irrelevant](#)

Patch.com

Misconduct and Mayhem, Deadly Crashes, NH PFOA Water Issues: Nearby News

Patch.com

Plus, alleged mother-daughter heroin dealers, other drug busts, a new Whole Foods store, equal pay, teens in trouble, and more ATM skimmers.

   [Flag as irrelevant](#)

APR 17

Bennington College will use most of grant for water sampling, testing of PFOA

WRGB

Professor David Bond said the class will test homes for months, to determine why houses that are near each other have variations in **PFOA** levels.

   [Flag as irrelevant](#)

The Union Leader

Costs for water contamination probe reach upward of \$150000

The Union Leader

State officials say the company's Merrimack plant is the likely source of **PFOA**, which has been linked to some cancers and other illnesses, though no ...



[Flag as irrelevant](#)

You have received this email because you have subscribed to **Google Alerts**.

[Unsubscribe](#)

[Receive this alert as RSS feed](#)

[Send Feedback](#)